

Risk Assessment For
 AR Entertainment's
 Mount Pleasant Way
 Stokesley Business Park
 Stokesley North Yorkshire
 TS9 5NZ

ASSESSMENT UNDERTAKEN
 Date..... 26th March 18
 Signed..... Ray Dunn
 Equipment **Event Slide (Giraffe)**

ASSESSMENT REVIEW
 1st Sept 2018
 2nd
 3rd
 4th.

LIST OF SIGNIFICANT HAZARDS

GROUPS AT RISK

EXISTING CONTROLS covered by information held

Blower/Power Failure	Participants	Operators are instructed to tell participants to remain exactly where they are until the problem is resolved or the inflatable becomes safe to walk off
Overloading	Participants	Operators are instructed to only allow number of participants stated on the safety data sheet at any one time
Injury caused by boisterous behaviour	Participants	Operators are instructed to segregate different age ranges and avoid putting smaller children on with older/larger ones. No somersaults allowed or boisterous behaviour involving contact between participants.
Collision when exiting the inflatable	Participants Crowd	Inflatable to have an appropriate crowd barrier at a safe distance from the exit
Fire	Participants Crowd/Operator	Operators to site inflatable away from naked flames and forbid smoking on and around the inflatable
Inflatable tipping over	Participants Crowd	When on grass the inflatable is always pegged, if on concrete adequate sandbags are used to prevent movement
Electric shock	Operator	Electrical units are visually inspected for obvious faults, fused Ext. cables are used and equipment is P.A.T. tested once a year
Excessive Wind	Participants	Operator to site slide facing into strong wind.
	On Grass	Check type of soil type under grass - clay has a lot stronger hold than sand Securely double peg all anchor points into the ground.
	On Hard Standing	All supplied weights to be used and anchor to fixed objects if required. If wind speed exceeds 38km/h (24mph) on windometer or if guide rope pegs start to move in the ground or weights start to move when in use, immediately evacuate & deflate until wind has dropped and operator deems appropriate to re-start.

Event Slide (Giraffe)

Equipment Required:

	No Req	In Van
Slide Inflatable		
1.5w Electric Blower		
Ext Leads, Converter		
Petrol Blower & Petrol & pipe		
18 Pegs & Hammer ()		
Sandbags		
Groundsheet		
Crash Mats		
Barrow		
Repair		
Splitter		
Map & Key & First aid kit		
Posts & Bunting		
Posts & bases		
Rolloing Device	6 parts	
Windmeter	1	
Slide Safety Sign at Entrance	1	

Loading checked by:

Return loading checked by: Event Manager

I have read and fully understand the risk assessment, assembly & operating instructions and any other safety procedures in relation to:
The Event Slide

Signed:

Date:

Event Manager/Trainer:

Print name:

Print name:

Safety Data Sheet

Assembly Instructions:

1. Check overhead clearance (no overhead cables or branches)
1. Groundsheet down onto required area
2. Unroll inflatable into desired position
3. Close all deflation vents, attach blower and inflate
 - 1 zip either side & 2 on back wall

4. Anchor inflatable using all anchor points & guide ropes

5. Place crash mats into position

Operator Instructions:

1. Operator to control flow of participants to ensure slide is not overloaded, the maximum number of users at any one time is 6 (3 on top 3 on steps depending on size/age).
2. The maximum user height is 180cm. **Min age:** 4yrs
3. The age difference between users at any one time must be limited as much as possible.
3. All participants must slide feet-first, sitting up or lying down position (on backs only) with elbows tucked in.
4. All users must be fully clothed including socks to prevent friction burns.
5. No climbing on walls or somersaults to be allowed
- 6. Operator to ensure safe exiting area at all times-keep crash mats clear/in position**
7. No shoes, Spectacles, food, drink, cigarettes or sharp objects to taken onto the inflatable
8. Wind Speed should not exceed 24mph when in use, if so deflate immediately until wind has dropped and operators deem appropriate to re-start
- 9. No person(s) visibly intoxicated through alcohol, or drugs shall not be permitted to use the equipment**